
## Climate Change Projections for Individual Tree Species

## Northern Allegheny Plateau (Pennsylvania Subregion 3).



Pennsylvania's forests will be affected by a changing climate and other stressors during this century. Researchers and managers created an assessment that describes the vulnerability of forests in the Mid-Atlantic region (Butler-Leopold et al. 2018: doi.org/10.2737/NRS-GTR-181). This report includes information on the current landscape, observed climate

trends, and a range of projected future climates. It also describes many potential climate change impacts to forests and summarizes key vulnerabilities for major forest ecosystems. This handout summarizes data from the U.S. Forest Service's Climate Change Tree Atlas (doi.org/10.2737/Climate-Change-Tree-Atlas-v4). Two climate scenarios are presented to "bracket" a range of possible futures. These future climate projections (2070 to 2099) provide information about how individual tree species may respond to a changing climate. Results for "low" and "high" emissions scenarios can be compared on the reverse side of this handout.

The Tree Atlas provides information to interpret tree species changes:

- SUITABLE HABITAT calculated based on 45 variables that explain where conditions exist for a species, including soils, landforms, and climate variables.
- · ADAPTABILITY based on life-history traits that might increase or decrease tolerance of expected changes, such as the ability to withstand different forms of disturbance.
- CAPABILITY a rating of the species' ability to cope or persist with climate change in this region based on suitable habitat change (statistical modeling), adaptability (literature review and expert opinion), and abundance (inventory data). The capability rating is modified by abundance information; ratings are downgraded for rare species and upgraded for abundant species. Capability rating may not appropriately reflect the outlook for species with emerging severe forest health issues, such as ash species affected by emerald ash borer. See the table to the right for ratings.
- MIGRATION POTENTIAL MODEL when combined with habitat suitability, an estimate of a species' colonization likelihood for new habitats. This rating can be helpful for assisted migration or focused management.

Remember that models are just tools, and they're not perfect. Model projections can't account for all factors that influence future species success. If a species

persist with climate change. Species are organized into poor, fair, good, and mixed capability ratings. Species with new suitable habitat or low model reliability are excluded from this table. See the Tree Species Projections table legend on the following page for more information on ratings.

Capability is a rating of the species' ability to cope or

CLIMATE CHANGE CAPABILITY TABLE.

**NOTE:** Capability rating may not reflect severe forest health issues (e.g., emerald ash borer).

( )							
POOR CAPABILITY							
Black ash	Red spruce						
Eastern white pine	Shingle oak						
Paper birch	Striped maple						
Pitch pine	Tamarack (native)						
Quaking aspen	White spruce						
Red pine	Yellow birch						
FAIR CAPABILITY							
American beech	Sweet birch						
Black cherry	White ash						
GOOD CAPABILITY							
American basswood	Pignut hickory						
Black oak	Red maple						
Blackgum	Scarlet oak						
Chestnut oak	Shagbark hickory						
Eastern hophornbeam	Sugar maple						
Eastern redcedar	Virginia pine						
Mockernut hickory	White oak						
Northern red oak	Yellow-poplar						
MIXED CAPABILITY							
American elm	Eastern hemlock						
American hornbeam	Flowering dogwood						
Bigtooth aspen							

species to perform better or worse than a model projects. Human choices will also continue to influence forest distribution, especially for tree species that are projected to increase. Planting programs may assist the movement of future-adapted species, but this will depend on management decisions. Despite these limits, models provide useful information about future expectations. It's perhaps best to think of these projections as indicators of possibility and potential change.

is rare or confined to a small area, model results may be less reliable. These factors, and others, could cause a particular

CREDIT: This handout summarizes the full model results for the Northern Allegheny Plateau (Pennsylvania Subregion 3). Data provided by the USDA Forest Service (M.P. Peters, A.M. Prasad, S.N. Matthews, & L.R. Iverson) as part of the Climate Change Tree Atlas (doi.org/10.2737/Climate-Change-Tree-Atlas-v4). Models and variables are described in Iverson et al. 2019 and Peters et al. 2019 (available at fs.usda.gov/nrs/atlas/products/pubs). More information on vulnerability and  $adaptation\ in\ the\ region\ can\ be\ found\ at\ \underline{forestadaptation.org/mid-atlantic}.$ 







## Tree Species Projections Table

Information presented in the table is from the Climate Change Tree Atlas regional summaries, more details at fs.usda.gov/nrs/atlas/combined/resources/summaries.

**ADAPTABILITY:** Life-history factors, such as the ability to respond favorably to disturbance, that are not included in the Tree Atlas model and may make a species more or less able to adapt to future stressors.

- + **HIGH** Species may perform better than modeled
- · MEDIUM
- LOW Species may perform worse than modeled

**HABITAT CHANGE:** Projected change in suitable habitat between current and potential future conditions.

- ▲ INCREASE Projected increase of >20% by 2100
- ▼ **DECREASE** Projected decrease of >20% by 2100
- NO CHANGE Projected change of <20% by 2100
- ★ NEW HABITAT Tree Atlas projects new habitat for species not currently present

**ABUNDANCE:** Based on Forest Inventory Analysis (FIA) summed Importance Value data, calibrated to a standard geographic area.

- + ABUNDANT
- · common
- RARE

**CAPABILITY:** An overall rating that describes a species' ability to cope or persist with climate change based on suitable habitat change class, adaptability, and abundance within this region. Capability may not reflect severe forest health issues.

- GOOD Increasing suitable habitat, medium or high adaptability, and common or abundant
- FAIR Mixed combinations, such as a rare species with increasing suitable habitat and medium adaptability
- ▼ POOR Decreasing suitable habitat, medium or low adaptability, and uncommon or rare

SPECIES	ADAPT	ABUN	CHANGE	CLIMATE E (RCP 4.5)	CHANG	CLIMATE E (RCP 8.5) CAPABILITY	SPECIES	ADAPT	ABUN	CHANGI HABITAT	CLIMATE E (RCP 4.5) CAPABILITY	CHANGI HABITAT	CLIMATE E (RCP 8.5) CAPABILITY
American basswood	•	•		Δ	_	Δ	Pin cherry*	•	•		$\nabla$		$\nabla$
American beech		+	_	0	_	0	Pin oak*	_	_	*	•	*	
American elm	•	_	_	0		Δ	Pitch pine	•	_	•	$\nabla$		$\nabla$
American hornbeam	•	•	_	$\nabla$	•	0	Post oak	+	_	*	<u> </u>	*	<u> </u>
Bigtooth aspen	•		<u> </u>	Δ	_	$\nabla$	Quaking aspen	•	•		$\nabla$		$\nabla$
Bitternut hickory*	+	_	•	0	•	0	Red maple	+	+		Δ		Δ
Black ash	_	_	_	$\nabla$	_	$\overline{\nabla}$	Red pine	_	•	_	$\nabla$		$\nabla$
Black cherry	_	+	•	0	•	0	Red spruce	_	_	_	$\nabla$	_	$\nabla$
Black locust*			<u> </u>	Δ	<u> </u>	Δ	Sassafras*	•	•	<u> </u>	Δ	<u> </u>	Δ
Black oak			<u> </u>	Δ	<u> </u>	Δ	Scarlet oak	•		<u> </u>	Δ	<u> </u>	Δ
Black walnut*		_	<u> </u>	0	<u> </u>	Δ	Serviceberry*	•	•	_	$\nabla$	_	$\overline{\nabla}$
Blackgum	+	•	<u> </u>	Δ	<u> </u>	Δ	Shagbark hickory	•	_	<u> </u>	Δ	<u> </u>	Δ
Chestnut oak	+	•	_	Δ	_	Δ	Shingle oak	•	_	_	$\nabla$	_	$\overline{\nabla}$
Cucumbertree*	•	_	•	$\nabla$	_	$\overline{\nabla}$	Sourwood	+	_	*		*	
Eastern cottonwood*	•	_	•	$\nabla$	•	$\overline{\nabla}$	Striped maple	•	_	_	$\nabla$	_	$\overline{\nabla}$
Eastern hemlock	_	+	_	0	_	$\overline{\nabla}$	Sugar maple	+	+	_	Δ	_	Δ
Eastern hophornbeam	ı +	•	•	Δ	_	Δ	Sweet birch	_	+	•	0	_	0
Eastern redbud*	•	_	*		*		Sweetgum	•	_	*		*	
Eastern redcedar	•	_	<u> </u>	Δ	_	Δ	Sycamore*	•	_	<u> </u>	Δ	<u> </u>	Δ
Eastern white pine	_	•	•	$\nabla$	•	$\nabla$	Tamarack (native)	_	_	_	$\nabla$	_	$\overline{\nabla}$
Flowering dogwood	•	_	•	$\nabla$	_	0	Virginia pine	•	_	<u> </u>	Δ	<u> </u>	Δ
Gray birch*	•	_	_	$\nabla$	_	$\nabla$	White ash	_	+	•	0	•	0
Hackberry	+	_	*		*		White oak	+		<u> </u>	Δ	<u> </u>	Δ
Mockernut hickory	+	_	<u> </u>	Δ	_	Δ	White spruce	•	_	_	$\nabla$	_	$\nabla$
Northern red oak	+	+	<u> </u>	Δ	_	Δ	Yellow birch	•		_	$\nabla$	_	$\nabla$
Paper birch	•	_	_	$\nabla$	_	$\nabla$	Yellow-poplar	+	_	<b>A</b>	Δ	<b>A</b>	Δ
Pignut hickory	•	•	<b>A</b>	Δ		Δ							