
## Climate Change Projections for Individual Tree Species

## Piedmont (Pennsylvania Subregion 5)



Pennsylvania's forests will be affected by a changing climate and other stressors during this century. Researchers and managers created an assessment that describes the vulnerability of forests in the Mid-Atlantic region (Butler-Leopold et al. 2018: <a href="doi.org/10.2737/NRS-GTR-181">doi.org/10.2737/NRS-GTR-181</a>). This report includes information on the current landscape, observed climate

trends, and a range of projected future climates. It also describes many potential climate change impacts to forests and summarizes key vulnerabilities for major forest ecosystems. This handout summarizes data from the U.S. Forest Service's Climate Change Tree Atlas (doi.org/10.2737/Climate-Change-Tree-Atlas-v4). Two climate scenarios are presented to "bracket" a range of possible futures. These future climate projections (2070 to 2099) provide information about how individual tree species may respond to a changing climate. Results for "low" and "high" emissions scenarios can be compared on the reverse side of this handout.

The Tree Atlas provides information to interpret tree species changes:

- **SUITABLE HABITAT** calculated based on 45 variables that explain where conditions exist for a species, including soils, landforms, and climate variables.
- ADAPTABILITY based on life-history traits that might increase or decrease tolerance of expected changes, such as the ability to withstand different forms of disturbance.
- CAPABILITY a rating of the species' ability to cope or persist with climate change in this region based on suitable habitat change (statistical modeling), adaptability (literature review and expert opinion), and abundance (inventory data). The capability rating is modified by abundance information; ratings are downgraded for rare species and upgraded for abundant species. Capability rating may not appropriately reflect the outlook for species with emerging severe forest health issues, such as ash species affected by emerald ash borer. See the table to the right for ratings.
- MIGRATION POTENTIAL MODEL when combined with habitat suitability, an estimate of a species' colonization likelihood for new habitats. This rating can be helpful for assisted migration or focused management.

## CLIMATE CHANGE CAPABILITY TABLE.

Capability is a rating of the species' ability to cope or persist with climate change. Species are organized into poor, fair, good, and mixed capability ratings. Species with new suitable habitat or low model reliability are excluded from this table. See the Tree Species Projections table legend on the following page for more information on ratings.

**NOTE:** Capability rating may not reflect severe forest health issues (e.g., emerald ash borer).

POOR CAPABILITY							
Bigtooth aspen	Pitch pine						
Black cherry	Quaking aspen						
Eastern hemlock	Sweet birch						
Eastern white pine	White ash						
Jack pine	White spruce						
Osage-orange	Yellow birch						
GOOD CAPABILITY							
American basswood	Northern red oak						
American beech	Pignut hickory						
Black oak	Red maple						
Blackgum	Scarlet oak						
Eastern redcedar	Sugar maple						
Flowering dogwood	Sweetgum						
Loblolly pine	Virginia pine						
Mockernut hickory	White oak						
MIXED CAPABILITY							
American elm	Shagbark hickory						
Chestnut oak	Yellow-poplar						
Hackberry							

Remember that models are just tools, and they're not perfect. Model projections can't account for all factors that influence future species success. If a species is rare or confined to a small area, model results may be less reliable. These factors, and others, could cause a particular species to perform better or worse than a model projects. Human choices will also continue to influence forest distribution, especially for tree species that are projected to increase. Planting programs may assist the movement of future-adapted species, but this will depend on management decisions. Despite these limits, models provide useful information about future expectations. It's perhaps best to think of these projections as indicators of possibility and potential change.

**CREDIT:** This handout summarizes the full model results for Piedmont (Pennsylvania Subregion 5). Data provided by the USDA Forest Service (M.P. Peters, A.M. Prasad, S.N. Matthews, & L.R. Iverson) as part of the Climate Change Tree Atlas (doi.org/10.2737/Climate-Change-Tree-Atlas-v4). Models and variables are described in Iverson et al. 2019 and Peters et al. 2019 (available at <a href="mailto:fs.usda.gov/nrs/atlas/products/pubs">fs.usda.gov/nrs/atlas/products/pubs</a>). More information on vulnerability and adaptation in the region can be found at <a href="mailto:forestadaptation.org/mid-atlantic">forestadaptation.org/mid-atlantic</a>.







## Tree Species Projections Table

Information presented in the table is from the Climate Change Tree Atlas regional summaries, more details at fs.usda.gov/nrs/atlas/combined/resources/summaries.

**ADAPTABILITY:** Life-history factors, such as the ability to respond favorably to disturbance, that are not included in the Tree Atlas model and may make a species more or less able to adapt to future stressors.

- + **HIGH** Species may perform better than modeled
- · MEDIUM
- LOW Species may perform worse than modeled

**HABITAT CHANGE:** Projected change in suitable habitat between current and potential future conditions.

- ▲ INCREASE Projected increase of >20% by 2100
  - DECREASE Projected decrease of >20% by 2100
- NO CHANGE Projected change of <20% by 2100
- ★ NEW HABITAT Tree Atlas projects new habitat for species not currently present

**ABUNDANCE:** Based on Forest Inventory Analysis (FIA) summed Importance Value data, calibrated to a standard geographic area.

- + ABUNDANT
- · common
- RARE

**CAPABILITY:** An overall rating that describes a species' ability to cope or persist with climate change based on suitable habitat change class, adaptability, and abundance within this region. Capability may not reflect severe forest health issues.

- △ **GOOD** Increasing suitable habitat, medium or high adaptability, and common or abundant
- FAIR Mixed combinations, such as a rare species with increasing suitable habitat and medium adaptability
- ▼ POOR Decreasing suitable habitat, medium or low adaptability, and uncommon or rare

American basswood American beech American elm	ADAPT AI	BUN 	HABITAT CHANGE	CAPABILITY	HABITAT	-				LOW CLIMATE CHANGE (RCP 4.5)		HIGH CLIMATE CHANGE (RCP 8.5)	
American beech American elm	•				CHANGE	CAPABILITY	SPECIES	ADAPT	ABUN	HABITAT CHANGE	CAPABILITY	HABITAT CHANGE	CAPABILITY
American elm	•	_		Δ		Δ	Osage-orange	+	_	_	$\nabla$	_	$\nabla$
	•			Δ		Δ	Pignut hickory	•	•		Δ		Δ
				0		Δ	Pin oak*	_	_		$\nabla$		$\nabla$
American holly	•	_	*		*		Pitch pine	•	_	_	$\nabla$	_	$\nabla$
American hornbeam*	•	_		$\nabla$		0	Post oak	+	_	*		*	
Bald cypress	•	_	*		*		Quaking aspen	•	_	_	$\nabla$	_	$\overline{\nabla}$
Bigtooth aspen	•	_	_	$\nabla$	_	$\nabla$	Red maple	+	+	•	Δ	_	Δ
Bitternut hickory*	+	_		Δ		Δ	Red mulberry*	•	_	_	$\nabla$	_	$\overline{\nabla}$
Black cherry	_	•		$\nabla$	_	$\nabla$	Sassafras*	•	•	_	Δ		Δ
Black locust*	•	•	•	0		Δ	Scarlet oak	•	•	_	Δ	<u> </u>	Δ
Black oak	•	•	<u> </u>	Δ	_	Δ	Shagbark hickory	•		_	Δ	•	0
Black walnut*	•	•	_	$\nabla$	_	$\nabla$	Shortleaf pine	•	_	*		*	
Black willow*	_	_	_	$\nabla$	•	$\nabla$	Silver maple*	+	_	•	0	<u> </u>	Δ
Blackgum	+	•		Δ	_	Δ	Sourwood	+	_	*		*	
Blackjack oak	+	_	*		*		Southern red oak	+	_	*		*	
Boxelder*	+	•	•	Δ		Δ	Sugar maple	+	•	_	Δ	<u> </u>	Δ
Cherrybark oak	•	_	*		*		Swamp tupelo	_	_	*		*	
Chestnut oak	+	•	•	Δ	_	0	Swamp white oak*	•	_	_	$\nabla$	_	$\overline{\nabla}$
Chinkapin oak	•	_	*		*		Sweet birch		_	_	$\nabla$	_	$\overline{\nabla}$
Common persimmon*	+	_	•	0		Δ	Sweetbay		_	*		*	
Eastern hemlock	_	_	_	$\nabla$	_	$\nabla$	Sweetgum			<u> </u>	Δ	<u> </u>	Δ
Eastern redcedar	•	•		Δ		Δ	Virginia pine		_	<u> </u>	Δ	<u> </u>	Δ
Eastern white pine	_	•	_	$\nabla$	_	$\overline{\nabla}$	Water oak		_	*		*	
Flowering dogwood	•		_	Δ	<u> </u>	Δ	Water tupelo	_	_	*		*	
Green ash*	•	•	•	0	_	Δ	White ash	_		_	$\nabla$	_	$\overline{\nabla}$
Hackberry	+	_	_	$\nabla$	•	0	White oak	+		<u> </u>	Δ	<u> </u>	Δ
Jack pine	+		_	$\nabla$	_	$\overline{\nabla}$	White spruce	•	_	_	$\nabla$	_	$\nabla$
Laurel oak	•	_	*		*		Winged elm	•	_	*		*	
Loblolly pine	•	_	<u> </u>	Δ	<u> </u>	Δ	Yellow birch	•	_	•	$\nabla$	•	$\nabla$
Mockernut hickory	+	•	<u> </u>	Δ		Δ	Yellow-poplar	+	•	•	Δ	_	0
Northern red oak	+	•	<u> </u>	Δ	•	Δ							